# ONEUP™ PLATFORM BROCHURE







## Introducing DESSA

DESSA (Design, Engineer, Supply, Safety and Access) was founded in 2010 by a team of leading UK scaffolding experts. DESSA has grown to be a major supplier of temporary roofing and cladding systems, aluminium lattice girders, scaffold accessories, site stairways and safety products. DESSA became part of the Altrad Group of Companies in 2015 and continues to develop exciting, innovative and cost effective solutions. Offering design support services, DESSA has become the one-stop solution provider to contractors at all levels.

### Why choose DESSA?


Customer focus and industry experience enables DESSA to offer a high level of customer service and offer a full range of technical, product and site support services. All key staff have a proven track record of product development and temporary works industry experience.



#### Value

consistency.

DESSA products are continually developed to ensure the best value and user experience and provide excellent safety features, with the added benefit of labour savings and quality in manufacturing. By design, DESSA products are manufactured in a TUV approved QA environment and are fully traceable to source. All DESSA products are carefully made to avoid problems which may arise from the aluminium welding process – heat affected zones are minimised and bolt holes are placed to avoid them. All products are tested for accuracy after manufacture to ensure unrivalled



### DESSA Products – OneUp™ Safety Platform

An essential part of any scaffolder's toolkit, the safety platform allows the safe erection of the next lift. The OneUp™ is a fold-flat item for easy handling and has an integral ladder to suit system scaffold as well as traditional tube and fit scaffolding. The non-slip, light-weight platform can carry 175kg and should be used in conjunction with relevant PPE.

Technical Data	
Platform Dimensions	390mm x 570mm
Permissible Load	175 kg
Maximum Guardrail Height	1.02m
Minimum Guardrail Height	0.96m
OneUp™SafetyPlatform Weight	6.2 kg
Compliance	EN131 Ladders - Requirements, testing, marking



Simple and convenient all-in-one ladder and platform unit

- Can be utilised in multiple positions around scaffold
- Set once adjustable feet for system scaffolds and/or traditional scaffold
- Platform designed to allow tubes to slide down between the existing guardrail and platform, freeing the user's hand to ascend/descend
- Lightweight only 6.2kg
- Folds flat for easy handling
- Non-slip deck, rungs and treads
- Spring claw latch, quick and safe installation without tools



Sprung retaining hook Platform Folds flat with velcro strap Safety/identify label

- Hinge
- Non-slip
- Ladder/rungs
- Adjustable feet







